



INTRODUCING PROFILE

PROFILE ON-WALL SPEAKERS COMBINE UNCOMPROMISING ACOUSTIC PERFORMANCE WITH A CLEAN AND UNDERSTATED CONTEMPORARY DESIGN, IN A FLEXIBLE AND INSTALLATION FRIENDLY PACKAGE.

ENGINEERED TO BE EQUALLY COMFORTABLE PRESENTING MUSIC FROM ACROSS THE GENRES AS THEY ARE RENDERING ENERGETIC MULTI-CHANNEL SOUNDTRACKS FOR MOVIES OR GAMING, PROFILE SPEAKERS DELIVER AN OPEN SOUND FIELD WITH IMPRESSIVE BASS PERFORMANCE.



GALLO ACOUSTICS Profile1

KEEPING A LOW PROFILE

PROFILE'S DECEPTIVELY SLIM CABINET DESIGN AND DISCREET FLUSH-MOUNTED GRILLES PORTRAY A SUBTLE MINIMALISTIC AESTHETIC THAT IS AT HOME IN ANY ROOM IN THE HOUSE.

PROFILE LOUDSPEAKERS ARE THE PERFECT ALTERNATIVE TO BULKY FLOOR-STANDING SPEAKERS AND ARE FREE FROM THE PERFORMANCE COMPROMISES AND CONSTRUCTION CONSTRAINTS THAT CAN LIMIT IN-WALL AND IN-CEILING SPEAKERS.



THE RANGE

WITH SIX MODELS IN THE LINE-UP FROM THE 50W PROFILE1 TO THE 120W-RATED PROFILE4, THERE'S A PROFILE SPEAKER FOR EVERY APPLICATION, WHETHER IT'S A CHILD'S BEDROOM OR A LARGE-SCALE HOME CINEMA, MAKING SYSTEM BUILDING A BREEZE.



PROFILESUB + ROOMSUB

WHILE THE PROFILE RANGE HAS BEEN DESIGNED TO PERFORM WITHOUT THE NEED FOR A SUBWOOFER, OUR WALL-MOUNTED PROFILESUB AND FREESTANDING ROOMSUB MODELS ARE THE PERFECT OPTION WHERE BASS AUGMENTATION IS A REQUIREMENT.

SPECIFICATIONS

Profile1



POWER HANDLING: 50W
FREQUENCY RESPONSE: 80Hz TO 20Khz
SENSITIVITY: 86db
NOMINAL IMPEDANCE: 4 Ohm
DIMENSIONS: 280mm (H) x 210mm (W) x 91mm (D)
WEIGHT: 3.2KG

Profile2



POWER HANDLING: 70W
FREQUENCY RESPONSE: 75Hz TO 20Khz
SENSITIVITY: 87db
NOMINAL IMPEDANCE: 8 Ohm
DIMENSIONS: 340mm (H) x 240mm (W) x 91mm (D)
WEIGHT: 4.6KG

Profile3



POWER HANDLING: 100W
FREQUENCY RESPONSE: 59Hz TO 20Khz
SENSITIVITY: 88db
NOMINAL IMPEDANCE: 4 Ohm
DIMENSIONS: 450mm (H) x 320mm (W) x 91mm (D)
WEIGHT: 7.1KG

Profile4



POWER HANDLING: 120W
FREQUENCY RESPONSE: 64Hz TO 20Khz
SENSITIVITY: 89db
NOMINAL IMPEDANCE: 4 Ohm
DIMENSIONS: 560mm (H) x 390mm (W) x 91mm (D)
WEIGHT: 10.4KG

Profile2.5



POWER HANDLING: 100W
FREQUENCY RESPONSE: 65Hz TO 20Khz
SENSITIVITY: 89db
NOMINAL IMPEDANCE: 4 Ohm
DIMENSIONS: 564mm (H) x 164mm (W) x 91mm (D)
WEIGHT: 5.8KG


Profile3.5



POWER HANDLING: 70W
FREQUENCY RESPONSE: 72Hz TO 20Khz
SENSITIVITY: 86db
NOMINAL IMPEDANCE: 4 Ohm
DIMENSIONS: 810mm (H) x 190mm (W) x 91mm (D)
WEIGHT: 8.9KG

SPECIFICATIONS

ProfileSub



FREQUENCY RESPONSE: 32Hz - 220Hz +/-3db
DIGITAL POWER AMP: 150W
WOOFER: 8" WOOFER WITH PP
CONE AND NBR SURROUND
PHASE: 0 – 180° CONTINUOUSLY VARIABLE
ACTIVE LOW PASS FILTER: 50 TO 180Hz, CONTINUOUSLY VARIABLE
DIMENSIONS: 475MM (W) X 305MM (H) X 180MM (D)
WEIGHT: 10.5KG

RoomSub8



FREQUENCY RESPONSE: 32Hz TO 150KHz +/- 3db
DIGITAL POWER AMP: 200W
WOOFER: 8" WOOFER WITH PP
CONE AND NBR SURROUND
ACTIVE LOW PASS FILTER: 50 TO 180Hz, CONTINUOUSLY VARIABLE
DIMENSIONS: 342MM (W) X 286MM (H) X 286MM (D)
WEIGHT: 12KG

RoomSub10



FREQUENCY RESPONSE: 32Hz TO 160Hz +/- 3db
DIGITAL POWER AMP: 300W
WOOFER: 10" WOOFER WITH PP
CONE AND NBR SURROUND
ACTIVE LOW PASS FILTER: 50 TO 180Hz, CONTINUOUSLY VARIABLE
DIMENSIONS: 381MM (W) X 325MM (H) X 325MM (D)
WEIGHT: 19KG





ANTHONY GALLO ACOUSTICS LTD
THE INOX BUILDING
CALDWELLSIDE
LANARK
SCOTLAND
UNITED KINGDOM
ML11 7SR

WWW.GALLOACOUSTICS.COM
